

A215-CC6772S, Unpublished results, 1972

AISE/CESIO, Anaerobic biodegradation. Review of scientific information, AISE/CESIO, Brussels, 1999

AISE/CESIO, Environmental Risk Assessment of Detergent Chemicals, Proceedings of the Limelette III workshop, November 28-29, 1995

Aldenberger T, W Slob, Confidence limits for hazardous concentrations based on logistically distributed NOEC toxicity data, *Ecotoxicol. Environ. Safety* 25: 48-63, 1993

Angelidaki I, AS Mogensen, BK Ahring, Degradation of organic contaminants found in organic waste, *Biodegradation* 11: 377-383, 2000

Angelidaki I, F Haagensen, BK Ahring, Anaerobic transformation of LAS in continuous stirred tank reactors treating sewage sludge, 5th World Cesio congress V.2: 1551-1557, 2000, Firenze, Italy

Belanger SE, EM Meiers, RG Bausch, Direct and indirect ecotoxicological effects of alkyl sulphate and alkyl ethoxysulphate on macroinvertebrates in stream mesocosms, *Aquat. Toxicol.* 33: 65-87, 1995

Belanger SE, JB Guckert, JW Bowling, WM Begley, DH Davidson, EM LeBlanc, DM Lee, Responses of aquatic communities to 25-6 alcohol ethoxylate in model stream ecosystem, *Aquat. Toxicol.* 48: 135-150, 2000

Belanger SE, JW Bowling, DM Lee, EM LeBlanc, KM Kerr, DC McAvoy, SC Christman, DH Davidson, Integration of aquatic fate and ecological responses to LAS in model stream ecosystem, *Ecotoxicology and Environmental Safety*, 2002, in press

Belanger SE, Review of experimental microcosm, mesocosm, and field tests used to evaluate the potential hazard of surfactants to aquatic life and the relation to single species data, Chp. 17: 299-326, In IR Hill, F Heimbach, P Leeuwangh, P Matthiessen (Editors), *Freshwater field tests for hazard assessment of chemicals*, Lewis Publishers, Chelsea, Michigan, 1994

Belanger SE, Use of mesocosms in predicting risk from cationic surfactant exposure, pp. 263-287, In J Cairns, BR Neiderlehner, DB Orvos (Editors), *Predicting ecosystem risk*, Princeton Sci. Publishing Co., Princeton, New Jersey, 1992

Berna J.L et al, A life-cycle inventory for the production of linear alkylbenzene sulphonates in Europe, *Tenside Surf. Det.*, 32, 1995,2

Berna J.L et al, An Assessment of the Ultimate Biodegradation of LAS, *Tenside*, 30, (1993)

Berna J.L et al., Growth and development in LAB technology, 3rd World Detergent Conference, Montreux (CH), Ed. A Cahn, NY 1994, AOCS Press, 1994

Berna J.L, J Ferrer, A Moreno, D Prats, F Ruiz Bevia, The fate of LAS in the environment, *Tenside Surf. Det.* 26: 101-107, 1989

Bestler et al, Nonylphenols, nonylphenol-ethoxylates, linear alkylbenzenesulfonates (LAS) and bis (4-chlorophenyl)- sulfone in the German bight of the North sea, *Chemosphere* 45: 817-826, 2001

Bevia et al (1993) WHO report # ICP/CEH 104/6-SPA

BgVV (Bundesinstitut für gesundheitlichen Verbraucherschutz und Veterinärmedizin), *Ärztliche Mitteilungen bei Vergiftungen*, 1999, ISBN 3-931675-59-9

BIOLAB report No. T3R/27, 1984

BIOLAB, Report 7890, 1988

BIOLAB, Report T116/2, 1983

BIOLAB-a, Report T00428/4, 1989

BIOLAB-b, Report T00430/2, 1989

BIOLAB-c, Report No. T00428/13, 1989

BKH Consulting Engineers, The use of existing data for estimation of the maximum tolerable environmental concentration of LAS. Part I: main report. Part II: data list, BKH, Delft (NL), May, 1993

Bressan et al. (1989) *Tenside Surf. Det.* 26: 148-158

Bressan M, R Brunetti, S Casellato, GC Fava, P Giro, M. Marin, P Negrisolo, L Tallandini, S Thomann, L Tosoni, M Turchetto, Effects of LAS on benthic organisms, *Tenside Surf. Det.*: 26, 148-158, 1989

Brink M, LAS risk assessment for sludge-amended soils. Monitoring data in sludge, p. 27 in reference SPT/EPA, 1999

Bruce RD and DJ Versteeg, A statistical procedure for modeling continuous toxicity data, *Environ.Tox. Chem.* 11: 1485-1494, 1992

Buehler EV, EA Newmann, WR King, Two-year feeding and reproduction study in rats with LAS, *Toxicol. Appl. Pharmacol.* 18: 83-91, 1971

CAHA, Detergent alkylates. World market, CAHA 2000

Carlsen L, MB Metzson, J Kjelsmark, LAS in the terrestrial environment, *Sci. Total Environ.*, *Sci. Total Environ.* 290: 225-230, 2002

Casellato S, R Aiello, PA Negrisolo, M Seno, Long-term experiment on *Branchiura sowerbyi* (Oligochaeta Tubificidae) using sediment treated with LAS, *Hydrobiologia* 232: 169-173, 1992

Cavalli L, A Gellera, A Landone, LAS removal and biodegradation in wastewater treatment plant, *Environ. Toxic. Chem.* 12: 1777-1788, 1993

Cavalli L, G Cassani, L Vigano, S Pravettoni, G Nucci, M Lazzarin, A Zatta, Surfactants in sediments, *Tenside Surf. Det.* 37: 282-288, 2000

Cavalli-a L, G Cassani, M Lazzarin, Biodegradation of LAS and AE, *Tenside Surf. Det.* 33: 158-165, 1996

Cavalli-a L, L Valtorta, Surfactants in sludge-amended soil, *Tenside Surf. Det.* 36: 22-28, 1999

Cavalli-b L, G Cassani, M Lazzarin, C Maraschin, G Nucci, L Valtorta, Iso-branching of LAS, Prolonged "living" biodegradation test on commercial LAS, *Tenside Surf. Det.* 33: 393-398, 1996

Cavalli-b L, R Clerici, P Radici, L Valtorta, Update on LAB/LAS, *Tenside Surf. Det.* 36: 254-258, 1999

CESIO, Statistics, Brussels, 2001

Cresswell DG, GA Baldock, LF Chasseaud, DR Hawkins, Toxicology studies of LAS in rhesus monkeys: (II) The disposition of 14C LAS after oral or subcutaneous administration, *Toxicology* 11: 5-17, 1978

Cross J, Anionic surfactants: chemical analysis, M Dekker (ed.), V.8, 111-115, 1977

CSTEE, Opinion of the scientific Committee on toxicity, ecotoxicity and the environment (CSTEE) on a proposed "ready biodegradability" approach to update detergents legislation, Adopted at the 12th CSTEE plenary meeting, November 25, 1999

Chaloux et al. (1992), *Mar Poll Bull* 24: 403-407

Chikara Debane, National Hygiene Laboratory, Report on studies on synthetic detergents, , Japan's Science and Technology Agency, October, 1978

Daly LW, RE Shröder, JC Killeen, A teratology study of topically applied LAS in rats, *Fd. Cosmet. Toxicol.* 18: 55-58, 1980

De Wolf W, TCJ Feijtel, Terrestrial risk assessment for LAS in sludge-amended soils, *Chemosphere* 36: 1319-1343, 1998

Delvalls et al (1998) *Ecotox Environ Safety* 41: 157-167

Delvalls et al (2002) *Chemosphere*, 46: 1033-1043

Denger K, AM Cook, LAS bioavailable to anaerobic bacteria as a source of sulphur, *J. Appl. Microbiol.* 86: 165-168, 1999

Di Toro et al (1990) *Environ Sci Technol* 24: 1013-1020

DiCorcia A, F Casassa, C Crescenzi, A Marcomini, R Samperi, Investigation of the fate of LAS and co products in a laboratory biodegradation test by using LC/MS, *Environ. Sci. Technol.* 33: 4112-4118, 1999

DiCorcia A, R Samperi, A Belloni, A Marcomini, M Zanette, K Lemr, L Cavalli, *Riv. It. Sostanze Grasse LXXI*: 467-475, 1994

Dillon et al (1993) *Env Tox Chem* 12: 589-605

Dunphy J, TW Federle, N Itrich, S Simonich, PK Kloepper-Sams, J Scheibel, T Cripe, E Matthijs, *Environ. profile of improved alkyl benzene surfactants*, 5th Cesio World Surfactants Congress V.2: 1489-1497, May-June 2000, Firenze, Italy

DuPont Chemical, Initial submission: approximate lethal concentrations by inhalation of sodium lauryl sulfate & sodium dodecylbenzene sulfonate, TSCA 8ECP Doc ID 880920008936, NTIS/OTS0546357 (LIT), 1992

Dyer SD, Belanger SE, Determination of the sensitivity of macroinvertebrates in stream mesocosms through field-derived assessments, *Environ. Toxicol. Chem.* 18: 2903-2907, 1999

ECETOC, Special report No. 28. Evaluation of anaerobic biodegradation, ECETOC, Brussels, 1994

ECOSOL, Statistics, Brussels, 2001

Eichhorn P. and Knepper T., □,□-Unsaturated Sulfophenyl Carboxylates as degradation intermediates of linear alkylbenzenesulfonate: evidence for □-oxygenation followed by □-oxidations by liquid chromatography-mass spectrometry, *Environmental Toxicology and Chemistry*, Vol.21, N°1

Elsgaard L. et al, Biodegradation of linear alkylbenzene sulfonates in sulfate-leached soil mesocosms, *Chemosphere* 50, 929-937, 2003

Elsgaard-a L, SO Petersen, K Debosz, Effects and risk assessment of LAS in agricultural soil. 1. Short-term effects on soil microbiology, *Environ. Tox. Chem.* 20: 1656-1663, 2001

Elsgaard-b L, SO Petersen, K Debosz, Effects and risk assessment of LAS in agricultural soil. 2. Effects on soil microbiology as influenced by sewage sludge and incubation time, *Environ. Tox. Chem.* 20: 1664-1672, 2001

Endo T, Y Furuido, K Namie, N Yamamoto, H Hasunuma, K Ueda, Studies of the chronic toxicity and teratogenicity of synthetic surfactants, *Ann. Rep. Tokyo Metrop. Res. Inst. Environ. Prot. (Tokyo Kogai Kenkyujo Nempo)*, 236-246, 1980 (in Japanese), See: IPCS, 1996

ERASM, Long-term toxicity of LAS on *Gammarus pulex*, Internal Report, AISE/CESIO, Brussels, April 2000

Erickson LC, A Banerji, TR Fritsh, JL Berna, New solid-bed alkylation technology for LAB, 4th Cesio World Surfactants Congress V.1, 177, 1996, Barcelona, Spain

EU Commission DGIII, Study on the possible problems for the aquatic environment related to surfactants in detergents, WRC, EC 4294, February, 1997

EU Commission, Establishing the ecological criteria for the award of the Community ecolabel to laundry detergents, *Official J. of Eur. Communities L187*: 52-69, 20/7/1999

EUCLID, EU Commission, Data sheet on LAS: CAS No. 68411-30-3, July, 1994

Federle TW, BS Schwab, Mineralisation of surfactants in anaerobic sediments of a Laundromat wastewater pond, *Wat. Res* 26: 123-127, 1992

Federle TW, NR Itrich, Comprehensive approach for assessing the kinetics of primary and ultimate biodegradation of chemicals in activated sludge: application to LAS, *Environ. Sci. Technol.* 31: 1178-1184, 1997

Feijtel TCJ, J Struijs, E Matthijs, Exposure modelling of detergent surfactants. Prediction of 90th-percentile concentrations in the Netherlands, *Environ.Toxicol. Chem.* 18: 2645-2652, 1999

Feijtel-a TCJ, E Matthijs, A Rottiers, GBJ Rijs, A Kiewiet, A de Nijs, AIS/CESIO environmental surfactant monitoring programme. Part 1: LAS monitoring study in "de Meer" STP and receiving river "Leidsche Rijn", *Chemosphere* 30: 1053-1066, 1995

Feijtel-b TCJ, EJ van de Plassche, Environmental risk characterization of 4 major surfactants used in the Netherlands, RIVM/NVZ, Report No. 679101 025, 1995

Field JA, et al, Biodegradation of the surfactant linear Alkylbenzenesulfonate in sewage-contaminated ground water: A comparison of column experiments and field tracer tests, *Environ. Sci. Technol.* 32: 3954-3961, 1998

Field JA, LB Barber, EM Thurman, BL Moore, DL Lawrence, DA Peage, Fate of alkylbenzene sulphonates and dialkyltetralin sulphonates in sewage-contaminated ground waters, *Environ. Sci. Technol.* 26: 1140-1146, 1992

Figge K, P Schöberl, LAS and the application of sewage sludge in agriculture, *Tenside Surf. Det.* 26: 122-128, 1989

Folke et al, (2001) *Ecosol report # 01004*

Fox KK, Environmental risk assessment under HERA: challenges and solutions, *Jorn. Com. Esp. Deterg.* 31: 213-223, 2001

Fox KK, MS Holt, M Daniel, H Buckland, I Guymer, Removal of LAS from a small Yorkshire stream. Contribution to GREAT-ER project, *Sci. Total Environ.* 251/252: 265-275, 2000

Fujii T, Y Sakamoto, Y Abe, H Mikurita, K Yuzawa, Hiraga, Pathological examination of rats fed with LAS for their lifespan, *Ann. Rep. Tokyo Metrop. Res Lab. Public Health* 28(2): 85-108, (in Japanese), 1977; See: IPCS, 1996

Fytianos et al (1998) *Chemosphere* 36: 2067-2074

Gandolfi C, A Facchi, MJ Whelan, G Cassani, G Tartari, A Marcomini, Validation of the GREAT-ER model in the river Lambro catchment, 5th World Cesio Congress V.2: 1370-1379, 2000, Firenze, Italy

Gejlsbjerg B. et al, Comparison of biodegradation of surfactants in soils and sludge-amended soils mixtures by use of 14 C-labelled compounds and automated respirometry, *Chemosphere* 50, 321-331

Geriike P, W Jasiak, How completely are surfactants biodegraded?, *Tenside Surf. Det.* 23: 300-304, 1986

Gonzalez & Forja (1998) *Environ Sci Technol* 32: 1636 – 1641

Gonzalez et al (1997a) *Environ Sci Technol* 31: 504-510

Gonzalez et al (1997b) *Tox Environ Chem* 59: 77-87

Haigh SD, A review of the interaction of surfactants with organic contaminants in soil, *Sci.Tot. Environ.* 185: 161-170, 1996

Havermann H, KH Menke, Biological study of the water soluble surface active substances, *Fette, Seifen, Anstrichmittel* 61 (6): 429-434, 1959

Heinze J, L Britton, Anaerobic biodegradation: environmental relevance, 3rd World Conference on Detergents, A. Cahn, 235-239, AOCS, Champaign, IL, 1994

Hennion MC, V Barcelo, Surface water analysis (trace organic contaminants) and EC regulations, *Trends in Analytical Chemistry* 13: 361-372, 1994

Heywood R, RW James, RJ Sortwell, Toxicology studies of LAS in rhesus monkeys: (I) simultaneous oral subcutaneous administration for 28 days, *Toxicology* 11: 245-250, 1978.

Holmstrup-a M, PH Krogh, Effects and risk assessment of LAS in agricultural soil. 3. Sub lethal effects on soil invertebrates, *Environ. Tox. Chem.* 20: 1673-1679, 2001

Holmstrup-b M, PH Krogh, H Lokke, W de Wolf, S Marshall, K Fox. Effects and risk assessment of LAS in agricultural soil.4. The influence of salt speciation, soil type, and sewage sludge on toxicity using the collembolan *Folsomia fimetaria* and the earthworm *Aporrectodea caliginosa* as test organisms, *Environ. Tox. Chem.* 20: 1680-1689, 2001

Holt MS, J Waters, MHI Comber, R Armitage, G Morris, C Newbery, AIS/CESIO environmental surfactant monitoring programme. SDIA sewage treatment pilot study on LAS, *Wat. Res.* 29: 2063-2070, 1995

Holt MS, M Daniel, H Buckland, KK Fox, Monitoring studies in the UK designed for the validation of the Geo-referenced exposure assessment tool for European rivers (GREAT-ER), 5th World Cesio Congress V.2: 1358-1369, 2000, Firenze, Italy

Holt MS, Matthijs E, Waters J, The concentrations and fate of LAS in sludge amended soils, *Wat. Res* 23: 749-759, 1989

Howes D, The percutaneous absorption of some ionic surfactants, *J. Soc. Cosmet. Chem* 26: 47-63, 1975

Hüls report No. 1387, Unpublished results, 1988

Hüls report No. AM-93/12, Unpublished data, 1993

Hüls-a, Report No. 0171, Unpublished data, 1983

Hüls-a, Report No. 0191, Unpublished results, 1984

Hüls-b, Report No. 0172, Unpublished results, 1983

Hüls-b, Report No. 209, Unpublished results, 1984

Hüls-c, Report No. 0186, Unpublished results, 1984

Huntingdon research centre, Report No. 86546D/PEQ 7 AC, Unpublished results, 1984

Huntingdon-a, Research centre, Report No. 86546D/PEQ 7 8/AC, Unpublished results, 1986

Huntingdon-b, Research centre, Report No. 86400D/PEQ 9/SE, Unpublished results, 1986

Huntingdon-c, Research centre, Report No. 86570D/PEQ 10/SE, Unpublished results, 1986

Hwang H. et al, Assessing the toxicity of dodecylbenzene sulfonate to the midge *CHIRONOMUS RIPARIUS* using body residues as the dose metric, *Environmental Toxicology and Chemistry*, Vol 22, N°2, 302-312, 2003

Imori M, T Ogata, K Kudo, Eye irritation testing of surface active agents in experimental animals, *J. Jpn. Oil Chem. Soc.* 21(6): 334-337, 1972, (in Japanese), See: IPCS, 1996

Ikawa M, M Yoneyama, T Nakao, K Hiraga, Uptake of organic acid and organic base by renal cortical slices of rats treated with LAS and ABS, *Ann. Rep. Tokyo Metrop. Res. Lab. Public Health.* 29(2): 51-54 Z, (in Japanese), 1978, See: IPCS, 1996

Imahori A, T Kitagawa, S Shiobara, Effects of LAS applied dermally to pregnant mice on the pregnant mice and their fetuses, *J. Jpn. J. Public Health (Nihon Koshueisei Zasshi)* 23(2): 68-72, (in Japanese), 1976, See: IPCS, 1996

Inoue K, T Sunakawa, S Takayama, Studies of in vitro cell transformation and mutagenicity by surfactants and other compounds, *Food. Cosmet. Toxicol* 18: 289-296, 1980

Inoue-a K, T Sunakawa, Mutagenicity tests of surfactants, *Jpn. Fragr. J.* 38: 67-75, (in Japanese), 1979, See: IPCS, 1996

Inoue-b K, T Shibata, Y Hamano, Y Oda, A Kuwano, H Yamamoto, B Mitsuda, N Kunita, In vivo cytogenetic tests of some synthetic detergents in mice, *Ann. Rep. Osaka Prefect. Inst. Public Health* 8: 17-24 (in Japanese), 1979, See: IPCS, 1996

IPCS, LAS and related compounds-AOS and AS. *Environmental Health Criteria* 169, WHO, Geneva, CH, 1996

ISO 2271, Hyamine method for anionic surfactants

Ito R, H Kawamura, HS Chang, K Kudo, S Kajiwara, S Toida, Y Seki, M Hashimoto, A Fukushima, Acute, subacute, and chronic toxicity of magnesium LAS (LAS-Mg), *J. Med. Soc. Toho Univ.* 25: 850-875, (in Japanese), 1978

Itrich NR, TW Federle, Primary and ultimate biodegradation of anionic surfactants under realistic discharge conditions in river water, SETAC Meeting, 1995, Vancouver, Canada

Jacks G, J Forsberg, F Mahgoub, K Palmquist, Sustainability of local water supply and sewage system. A case study in a vulnerable environment, *Ecological Engineering* 15: 147-153, 2000

Jensen J, Fate and effects of LAS in the terrestrial environment, *Sci. Tot. Environ.* 226: 93-111, 1999

Jensen J, H Lokke, M Holmstrup, PH Krogh, L Elsgaard, Effects and risk assessment of LAS in agricultural soil. 5. Probabilistic risk assessment of LAS in sludge-amended solids, *Environ. Tox. Chem.* 20: 1690-1697, 2001

Jensen J, P Folker-Hansen, Soil quality criteria for selected organic compounds, Arbejdsrapport N. 47 fra Miljøstyrelsen, Copenhagen, DK EPA, 1995

Johnson S.J. et al, Potential for anaerobic biodegradation of Linear alkylbenzene cable oils: literature review and preliminary investigation, *Land Contamination and Reclamation*, 9 (3), 2001

K Palmer, DD Cozens, P Batham, CP Cherry, Huntington research centre, Effect of CLD reproductive function of multiple generations in the rat, Report LFO10/731029, Unpublished results, 1974

Kaestner W, Henkel report No. 770124, Unpublished results, 1977

Kaestner-a W, Henkel report No. 870150, Unpublished results, 1987

Kaestner-b W, Henkel report No. 870553, Unpublished results, 1987

Karsa DR, MR Porter, Biodegradability of surfactants, Chapman & Hall, 1995

Kay JH, FE Kohn, JC Calandra, Subacute oral toxicity of a biodegradable LAS, *Toxicol. Appl. Pharmacol.* 7: 812, 1965

Kerteszi et al, Desulfonation of linear alkylbenzenesulfonate surfactants and related compounds by bacteria, *Applied and Environmental Microbiology*, July 1994, p. 2296-2303

Kikuchi M. et al, Determination of trace levels of linear alkylbenzenesulphonates in the marine environment by High Performance Liquid Chromatography, *Wat. Res.*, Vol. 20, n°5, 643-650, 1986

Kimerle RA, Aquatic and terrestrial ecotoxicology of LAS, *Tenside Surf. Det.* 26: 169-176, 1989

Kimerle RA, RD Swisher, Reduction of aquatic toxicity of LAS by biodegradation, *Water Res.* 11: 31, 1977

Kishi M, S Satoh, Y Horiguchi, K Ito, Effects of surfactants on bone marrow cells, *Bull. Kanagawa Public Health Lab.* 14: 57-58, (in Japanese), See: IPCS, 1966

Klimisch HJ, M Andreae, U Tillmann, A systematic approach for evaluating the quality of experimental toxicological and ecotoxicological data, *Regul. Tox. Pharmacology* 25: 1-5, 1997

Klopper-Sams P, F Torfs, TCJ Feijtel, J Gooch, Effects assessments for surfactants in sludge-amended soils: a literature review and perspectives for terrestrial risk assessment, *Sci Tot. Environ.* 185: 171-185, 1996

Knepper T. et al, Occurrence and fate of linear and branched alkylbenzenesulfonates and their metabolites in surface waters in Philippines, *The Science of Total Environment*, 269, (2001) 75-85

Koizumi N, R Ninomiya, Y Inoue, T Tsukamoto, M Fujii, Y Yamamoto, Implantation disturbance studies with LAS in mice, *Arch. Environ. Contam. Toxicol.* 14: 73-81, 1985

Könemann WH, Quantitative structure activity relationships in fish toxicity study, *Toxicology* 19: 209-221, 1981

Krueger C., Barber L., Metge DW, Field JA, Fate and transport of linear alkylbenzene sulphonate in a Sewage-contaminated aquifer: a comparison of natural-gradient pulsed tracer tests, *Environ. Sci. Technol.* 32, 1134-1142, 1998

Krueger C., Radakovich K, Sawyer T, Barber L, Smith R, Field JA, Biodegradation of the surfactant Linear alkylbenzenesulfonate in sewage-contaminated groundwater: A comparison of column experiments and field tracer test, *Environ. Sci. Technol.* 32, 3954-3961, 1998

Küchler T, W Schnaak, Behaviour of LAS in sandy soils with low amounts of organic matter, *Chemosphere* 35: 153-167, 1997

Larson RJ, TM Rothgeb, RJ Shimp, TE Ward, RM Venturello, Kinetics and practical significance of biodegradation of LAS in the environment, *J. Am. Oil Chem. Soc.* 70: 645-657, 1993

Larson RJ, TW Federle, RJ Shimp, RM Venturello, Behaviour of LAS in soil infiltration and groundwaters, *Tenside Surf. Det.* 26: 116-121, 1989

Leo AJ, C Hansch, Substituent constants for correlation analysis in chemistry and biology, J Wiley & Sons, New York, NY, 1979

Leon et al (2002) *Sc Total Environ* 288: 215-226

Leon et al, Extraction and isolation of linear alkylbenzene sulfonates and their intermediate metabolites from various marine organisms, *J Chromato A* 889: 211-219, 2000

León et al, Handling of marine and stuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids, *J Chromato A* 889: 211-219, 2000

Leon et al, Vertical distribution profiles of linear alkylbenzene sulfonates and their long-chain intermediate degradation products in coastal marine sediments, *Environmental Toxicology and Chemistry*, 20: 2171-2178, (2000b),

Leon VM, E Gonzalez-Mazo, JM Forja Pajares, Vertical distribution profiles of LAS and their long-chain intermediate degradation products in coastal marine sediments, *Environ. Tox. Chem.* 20: 2171-2178, 2001

Lokke H, M Holmstrup, J Jensen, Risk assessment of LAS in the terrestrial environment and perspectives for other anionic detergents, 5th World Cesio Congress V.2: 1439-1446, May-June 2000, Firenze, Italy

Lowe RL, JB Guckert, SE Belanger, DH Davidson, DW Johnson, An evaluation of periphyton community structure and function on tile and cobble substrata in experimental stream mesocosms, *Hydrobiologia* 328: 135-146, 1996

Lyman WJ, Environmental exposure from chemicals, V.1, pg. 31, Ed. WB Neely, GE Blau, Boca Raton (FL), CRC Press, 1985

Lyman WJ, Handbook of chemical property estimation methods, Washington DC, Am. Chem. Soc., pp. 4-9, 1990

M.T. Garcia et al, Structure-activity relationship for association of linear alkylbenzene sulfonates with activated sludge, *Chemosphere* 49, 279-286, 2002

Marcomini et al, Behaviour of anionic and nonionic surfactants and their persistent metabolites in the Venice Lagoon, Italy, *Environmental Toxicology and Chemistry*, Vol. 19, n°8, pp. 2000-2007, 2000

Marr GA, RJ Lawson, SF Chan, Recent innovation in LAB process technology, 5th Cesio World Surfactants Congress V.1: 138-146, May-June 2000, Firenze, Italy

Masabuchi M, A Takahashi, O Takahashi, K Hiraga, Cytogenetic studies and dominant lethal tests with long term administration of butylated hydroxytoluene (BHT) and LAS in mice and rats, *Ann. Rep. Tokyo Metrop. Res. Lab. Public Health* 27(2): 100-104, (in Japanese), 1976, See: IPCS, 1996

Matsuura T, JM Smith, Kinetics of photodecomposition of dodecyl benzene sulphonate, *Ing. Eng. Chem. Fund.* 9: 252-260, 1970

Matthies W, Henkel report No. 890356, Unpublished results, 1989

Matthijs E, G Debaere, N. Itrich, P Masscheleyn, A Rottiers, M Stalmans, TW Federle, The fate of detergent surfactants in sewer systems, *Wat. Sci. Tech.* 31: 321-328, 1995

Matthijs E, H DeHenau, Determination of LAS, *Tenside Surf. Det.* 24: 193-199, 1987

Matthijs E, MS Holt, A Kiewiet, GB Rijs, Environmental Monitoring for LAS, AE, AES, AS, and soap, *Environ. Toxicol. Chem.* 18: 2634-2644, 1999

McAvoy DC, S Dyer, NJ Fendiger, WS Eckhoff, DL Lawrence, WM Begley, Removal of AE, AES, and LAS in wastewater treatment, *Environ. Toxicol. Chem.* 17: 1705-1711, 1998

Meylan WM, PH Howard, Bond contribution method for estimating Henry's law constant, *Environ. Toxicol. Chem.* 10: 1283-93, 1991

Michael WR, Metabolism of LAS and alkylbenzenesulphonate in albino rats, *Toxicol. Appl. Pharmacol.* 12: 473-485, 1968

Monsanto, Toxicological investigation of LAS-sodium salt, Report No. A225-CC6450, Unpublished results, 1971

Monsanto-a, Toxicological investigation of LAS-sodium salt, Report No.

Monsanto-b, Toxicological investigation of LAS-sodium salt, Report No. A222L-CC6773S, Unpublished results, 1972

Moreno A, J Ferrer, JL Berna, Biodegradability of LAS in a sewer system, *Tenside Surf. Det.* 27: 312-315, 1990

Moreno A, J Ferrer, Toxicity towards *Daphnia m.* during biodegradation of various LAS, *Tenside Surf. Det.* 28: 129-131, 1991

Mortensen GK, H Elsgaard, P Ambus, ES Jensen, C Groen, Influence of plant growth on degradation of LAS in sludge-amended soil, *J. Environ. Quality* 30: 1266-1270, 2001

Navas JM, E Gonzalez-Mazo, A Wenzel, A Gomez-Parra, H Segner, LAS and intermediate products from their degradation are not estrogenic, *Marine Poll. Bulletin* 38: 880-884, 1999

Nielsen AM, LN Britton, CE Beall, TP McCormick, GL Russel, Biodegradation of co-products of commercial LAS, *Environ. Sci. Technol.* 31: 3397-3404, 1997

Nielsen AM, RL Huddleston, Ultimate biodegradation of LAS and ring carbon, In *Developments in Industrial Microbiology*, V.22, Society for Industrial Microbiology, 1981

Nolen GA, LW Klusman, LF Patrick, RG Geil, Teratology studies of a mixture of tallow alkyl ethoxylate and LAS in rats and rabbits, *Toxicology* 4: 231-243, 1975

Nomura T, S Kimura, S Hata, T Kanzaki, H Tanaka, The synthetic surfactants AS and LAS interrupt pregnancy in mice, *Life Sci.* 26: 49-54, 1980

Nusair TL, PJ Danneman, J Stotte, PHS Bay, Consumer products: risk assessment process for contact sensitization, *Toxicologist* 8: 258, 1988

Oba K, A Mori, S Tomiyama, Biochemical studies of n-alpha-olefin sulphonate:(I) acute toxicity, skin and eye irritation, and some other physiological properties, *J. Jpn. Oil Chem. Soc. (Yucagaku)* 17(11): 628-634, 1968, (in Japanese); See: IPCS, 1996

OECD, Revised guidelines for testing chemicals, OECD, Paris, 1993

Official publication of the French legislation ("Journal Officiel de la Republique Francaise") concerning substances used in dish care products which may come in contact with foods, 1990

Oser BL, K Morgareidge, Toxicological studies with branched and linear alkylbenzene sulphonates in rats, *Toxicol. Appl. Pharmacol.* 7: 819, 1965

Painter HA, Anionic surfactants, *Handbook Environ. Chem.* 3: 2-88, 1992

Painter HA, T Zabel, The behaviour of LAS in sewage treatment, *Tenside Surf. Det.* 26: 108-115, 1989

Painter HA, TF Zabel, Review of the environmental safety of LAS, WRc Report, UK, 1988

Palmer-a AK, MA Readshaw, AM Neuff, Assessment of the teratogenic potential of surfactants, (Part I), *Toxicology* 3: 91-106, 1975

Palmer-b AK, MA Readshaw, AM Neuff, Assessment of the teratogenic potential of surfactants, (Part III), *Toxicology* 4: 171-181, 1975

Perales et al, Biodisposition of linear alkylbenzene sulfonates and their associated sulphophenyl carboxylic acid metabolites in sea water, *International biodeterioration, biodegradation* 51, 187-194

Petersen PH, Degradation of xenobiotics by composting, Ramboll, 1999, presented in a workshop (SPT/EPA,1999)

Peterson BJ, WM Wollheim, PJ Mulholland, JR Webster, JL Meyer, JL Tank, E Marti, WB Bowden, HM Valett, AE Hershey, WH McDowell, WK Dodds, SK Hamilton, S Gregory, DD Morrall, Control of nitrogen export from watersheds by headwater streams, *Science* 292 (5514): 96-90, April 6, 2001

Prats D, B Vazquez, D Zarzo, JL Berna, A Moreno, LAS homologue distribution shift during waste water treatment and composting, *Environ. Tox. Chem.* 12: 1599-1608, 1993

Prats D.et al, Removal of anionic and nonionic surfactants in a wastewater treatment plant with anaerobic digestion. A comparative study, *Wat. Res.*, Vol 31, n°8, pp. 1925-1930, 1997

Prats-a D, M Rodriguez, JM Llamas, MA DeLaMuela, J Ferrer, A Moreno, JL Berna, The use of specific analytical methods to assess the anaerobic biodegradation of LAS, 5th World Cesio Congress V.2: 1655-1658, 2000, Firenze, Italy

Prats-b D, M Rodriguez, MA Muela, JM Llamas, J Ferrer, A Moreno, JL Berna, AM Nielsen, C Naylor, Elimination of LAS in sewage biosolids by composting, 5th World Cesio Congress V.2: 1475-1488, 2000, Firenze, Italy

Procter & Gamble, Report No. ISC-124-0470, Unpublished results, 1997

Procter & Gamble, Reports No. RCC-2315547, Unpublished results, 1985

Procter & Gamble, Unpublished data, 1996

Procter & Gamble, Unpublished data, 2001

Rapaport RA, WS Eckhoff, Monitoring LAS in the environment, *Environ. Toxicol. Chem.* 9: 1245-1257, 1990

RBM, Report No. 2076, 1985

Roberts DW, QSAR issues in aquatic toxicity of surfactants, *Sci. Total Environ.* 109/110: 557-568, 1991

Roberts DW, Use of octanol/water partition coefficients as hydrophobicity parameters in surfactant science, 5th World Cesio Congress, V. 2: 1517-1524, May-June 2000, Firenze, Italy

Rodriguez C, G Calvin, C Lally, JM Lachapelle, Skin effects associated with wearing fabrics washed with commercial laundry detergents, *Journal of Toxicology-Cutaneous & Ocular Toxicology* 13: 39-45, 1994.

Routledge EJ, JP Sumpter, Estrogenic activity of surfactants and some of their degradation products assessed using a recombinant yeast screen, *Environ. Toxicol. Chem.* 15: 241-248, 1996

Ruffo C, MG Fedrigucci, L Valtorta, L Cavalli, Biodegradation of anionic and nonionic surfactants by CO2 evolution. Acclimated and non acclimated inoculum, *Riv. It. Sostanze Grasse LXXVI: 277-283*, 1999

Sadai M, N Mizuno, Effect of long term topical application of some anionic surfactants on the skin, oral mucous membrane, and tongue, *Jpn. J. Dermatol Nihon Hifuka Gakkashi* 82(4): 207-221, (in Japanese), 1972; See: IPCS, 1996

Sánchez Leal J, MT Garcìa, R Tmàs, J Ferrer, C Bengoechea, *Tenside Surf. Det.* 31: 253-256, 1994

Sanz JL, M Rodriguez, R Amils, JL Berna, A Moreno, Anaerobic biodegradation of LAS. Inhibition of the methanogenic process, *Riv. It. Sostanze Grasse LXXVI: 307-311*, 1999

Sato K, H Ando, K Yuzawa, K Hiraga, Studies on Toxicity of synthetic detergents: (III), Examination of teratogenic effects of alkylbenzene sulfonates spread on the skin of mice, *Ann. Rep. Tokyo Metrop. Res. Lab. Public Health* 24: 441-448, 1972 (In Japanese), See: IPCS, 1996

Schaefer H and TE Redelmeier, Skin barrier. Principles of percutaneous absorption, S Karger AG, P.O. Box, CH-4009 Basel (Switzerland), ISBN 3-8055-6326-4, 1996

Schmitz J, *Tenside Surf. Det.*, 10: 11-13, 1973.

Schöberl P, H Klotz, R Spilker, L Nitschke, LAS monitoring, *Tenside Surf. Det.* 31: 243-252, 1994

Schöberl P, KJ Bock, L Huber, Ökologisch relevante Daten von tensiden Wasch und Reinigungsmitteln, *Tenside Surf. Det.* 25: 86-98, 1988

Schönkaes U, LAS-A modern classic surfactant, *Chimica Oggi*: 9-13, September, 1998

Schröder FR, Concentrations of anionic surfactants in receiving river-Rine water, *Tenside Surf. Det.* 32: 492-497, 1995

Schul W, European climate change program. Renewable raw materials. Workshop at Dorint Hotel, Brussels, January, 2001

SDA, Environmental and human safety of major surfactants. V. 1 Anionic surfactants-Part 1. LAS, AD Little, 1991, Cambridge, MA, USA

Shiobara S, A Imahori, Effects of LAS orally administered to pregnant mice on the pregnant mice and their fetuses, *J. Food Hyg. Soc. Jpn. (Shokuhin Eiseigaku Zasshi)* 17(4): 295-301, 1976, (in Japanese), See: IPCS, 1996

SIDS, Sponsor country: USA, Dossier on LAS (draft), April, 1999

Solbè J, JL Berna, L Cavalli, TCJ Feijtel, KK Fox, J Heinze, SJ Marshall, W de Wolf, Terrestrial risk assessment of LAS in sludge-amended soils, 5th World Cesio Congress V.2: 1433-1438, May-June 2000, Firenze, Italy

SPT/EPA, LAS risk assessment for sludge-amended soils, SPT/EPA Report 1999, Copenhagen, April, 1999

Stalmans M. et al, European Life-cycle inventory for detergent surfactants production, *Tenside Surf. Det.*, 32, 1995,2

Stalmans M. et al, Fate and effect of detergent chemicals in the marine and estuarine environment, *Wat.Sci.Tech.*, Vol 24 N° 10, p.p 115-126, 1991.

Steber J, P Wierich, The environmental fate of fatty acid  $\alpha$ -sulfomethyl esters, *Tenside Surf. Det.* 26: 406-411, 1989

Steber J, Wie vollständig sind Tenside abbaubar?, *Textilvoredulung* 26: 348-354, 1991

Sunakawa T, K Inoue, K Okamoto, Studies on the mutagenicity of surfactants following activation with various liver homogenates(S-9) and mutagenicity in the presence of norharman, *Hyg. Chem. (Eisei Kagaku)* 27(4): 204-211, (in Japanese), 1981, See: IPCS, 1996

Sunakawa, Y Ikida, K Okamoto, Absorption, distribution, metabolism, and excretion of LAS in rats, *J. Jpn. Oil Chem. Soc. (Yukagaku)* 39(2): 59-68, 1979, (in Japanese), See: IPCS, 1996

Swisher RD, Surfactant biodegradation, 2° Edition, Marcell Dekker, New York, 1987

Table of habits and practices for consumer products in western Europe. Developed by A.I.S.E. (Association Internationale de la Savonnerie, de la Détergence et des Produits d' Entretien) within the HERA project in 2002.

Tabor CF, LB Barber, Fate of LAS in the Mississippi river, *Environ. Sci. Technol.* 30: 161-171, 1996

Takada H, K Mutoh, N tomita, T Miyadzu, N Ogura, Rapid removal of LAS by attached biofilm in an urban shallow stream, *Wat. Res.* 28: 1953-1960, 1994

Takahashi M, K Sato, H Ando, Y Kubo, K Hiraga, Teratogenicity of some synthetic detergent and LAS, *Ann. Rep. Tokyo Metrop. Res. Lab. Public Health* 26(2): 67-78, 1975 (in Japanese), See: IPCS, 1996

Tattersfield LJ, GC Mitchel, M Holt, AG Girling, N Pearson, L Ham, LAS: Fate and effects in outdoor artificial streams and pools. An extended study, Shell Research unpublished results, 1996

Tattersfield LJ, M Holt, AG Girling, GC Mitchel, N Pearson, L Ham, The fate and effects of LAS in outdoor artificial streams and pools, Shell Research unpublished results,1995

Temara et al, Marine Risk Assessmen: Linear Alkylbenzene sulphonates in the North Sea, *Marine Pollution Bulletin* 42, n°8, 635-642, 2001

TGD, EEC 1996, Technical Guidance Document in support of Commission Directive 93/67/EEC on risk assessment for new notified substances and Commission Regulation (EC) No. 1488/94 on risk assessment for existing substances, EU Commission, Luxembourg, 1996

Tiba S, S Shiobara, A Imahori, T Kitagawa, Effects of LAS on dam, fetus and newborn rat, *J. Food Hyg. Soc. Jpn. (Shokuhin Eiseigaku Zassh)* 17(1): 66-71, (in Japanese), 1976

Tiba S, Studies on the acute and chronic toxicity of LAS, *J. Food Hyg. Soc. Jpn. (Shokuhin Eiseigaku Zasshi)* 13(6): 509-516, (in Japanese), 1972, See: IPCS, 1996

Tolls et al, Bioaccumulation of LAS in Feral fish studied by a novel LC-MS/MS method, *Environ. Sci. Technol.* 37: 314-320, 2003

Tolls J, Bioconcentration of surfactants, Thesis, ISBN No.: 90-393-1676-1, Utrecht University, 1998

Tolls J, M Haller, I DeGraaf, MATC Thijssen, DTHM Sijm, Bioconcentration of LAS. Experimental determination and extrapolation to environmental mixtures, *Environ. Sci. Technol.* 31: 3426-3431, 1997

Tolls J, MP Lehmann, DTHM Sijm, Quantification of in vivo biotransformation of the anionic C12-2-LASin tathead minnows, *Environ. Tox. Chem.* 19: 2394-2400, 2000

Tolls J, P Kloepper-Sams, DTHM Sijm, Surfactant bioconcentration. A critical review, *Chemosphere* 29: 693-717, 1994

Traina SJ, DC McAvoy, DJ Versteeg, Association of LAS with dissolved humic substances and its effect on bioavailability, *Env. Sci. Technol.* 30: 1300-1309, 1996

Trehy ML, WE Gledhil, JP Mieure, JE Adamove, AM Nielsen, HO Perkins, WS Eckhoff, Environmental monitoring for LAS, DATS and their biodegradation intermediates, Environ. Toxicol. Chem. 15: 233-240, 1996

Valtorta L, P Radici, D Calcinai, L Cavalli, Recent development of LAB/LAS, Riv. It. Sostanze Grasse LXXVII: 73-76, 2000

Van de Plassche EJ, JHM de Bruijn, RR Stephenson, SJ Marshall, TCJ Feijtel, SE Belanger, Predicted no-effect concentrations and risk characterization of four surfactants: LAS, AE, AES, and soap, Environ.Toxicol. Chem. 18: 2653-2663, 1999

Van de Plassche EJ, P Bont, J Hesse, Exploratory report. Fluorescent whitening agents (FWAs). National Institute of Public Health and the Environment. The Netherlands. Report No. 601503013, 1999

Verge C, A Moreno, J Bravo, J Ferrer, C Bengoechea, Toxicity of LAS vs. activated sludge of waste water treatment plant and microalgae (*Scenedesmus subspicatus*), SETAC World Congress, Lisbon (P), 1993

Verge C, A Moreno, Toxicity of anionic surfactants to the bacterial population of a waste water treatment plant, Tenside Surf. Det. 33: 323-327, 1996

Verge et al, Influence of water hardness on the bioavailability and toxicity of linear alkylbenzene sulfonate, Chemosphere,

Vermeire TG, P Van der Poel, RTH Van de Laar, and H Roelfzema, Estimation of Consumer Exposure to Chemicals. Application of Simple Models, Science of the Total Environment 136:155-176, 1993

Vinther F.P et al, Effects of linear alkylbenzene sulfonates on functional diversity of microbial communities in soil, Environmental Toxicology and Chemistry, Vol 22, N°1, 35-39, 2003

Wagner C, H Lokke, Estimation of ecotoxicological protection levels from NOEC toxicity data, Water Res. 25: 1237-1242, 1991

Watari N, K Torizawa, M Kanai, Y Suzuki, Ultrastructural observations of the protective effect of glycyrrhizin for mouse liver injury caused by oral administration of detergent ingredients (LAS), J. Clin. Electron. Microscopy (Nihon Rinsho Denshikenbikyo Kaishi) 10(1-2): 121-139, 1977

Waters J, MS Holt, E Matthijs, Fate of LAS in sludge amended soils, Tenside Surf. Det. 26: 129-135, 1989

Waters J, TCJ Feijtel, AISE/CESIO environmental surfactant monitoring programme: outcome of five national pilot studies on LAS, Chemosphere 30: 1939-1956, 1995

Webb S, S Comber, S Stuart, S Höss, Ecotoxicity of sediment associated LAS to *Lumbriculus variegatus* and *Caenorhabditis elegans*, SETAC Congress, Wien, 2001

Westall et al, Sorption of Linear alkyl benzenesulfonates on sediment materials, Environ. Sci. Technol, 33, 3110-3118

Yoneyama M, M Masubuchi, S Oishi, O Takahashi, M Ikawa, S Yoshida, H Oishi, H Mikuriya, K Yuzawa, K Hiraga, Toxicity of LAS by dietary administration for life-span to rats, Ann. Rep. Tokyo Metrop. Res. Lab. Public Health 28(2): 73-84, 1977, (in Japanese), See: IPCS, 1996

Yoneyama M, T Fujii, M Ikawa, H Shiba, Y Sakamoto, N Yano, H Kobayashi, H Ichikawa, K Hiraga, Studies on the toxicity of synthetic detergents.(II) Subacute toxicity of linear and branched alkylbenzene sulphonates in rats, Ann. Rep. Tokyo Metr. Res. Lab. 24: 409 Yoneyama M, Y Mabuchi, M Icawa, H Kobayashi, H Ichicawa, Subacute toxicity of LAS, Ann. Rep. Tokyo Metrop. Res. Lab. Public Health 27(2): 105-112, (in Japanese), 1976, See: IPCS, 1996

Yoneyama M, Y Mabuchi, M Icawa, H Kobayashi, H Ichicawa, Subacute toxicity of LAS, Ann. Rep. Tokyo Metrop. Res. Lab. Public Health 27(2): 105-112, (in Japanese), 1976, See: IPCS, 1996